

Table 2 Consensus ratings of APROCSA features for the 6 participants

	1738	1944	1713	1554	1833	1731
Anomia	1	3	2	2	2	3
Abandoned utterances	0	2	1	1	2	1
Empty speech	0	2	0	1	1	1
Semantic paraphasias	0	0	1	1	1	2
Phonemic paraphasias	0	0	1	0	0	1
Neologisms	0	0	0	0	0	0
Jargon	0	0	0	0	0	0
Perseverations	0	0	0	0	0	1
Stereotypies and automatisms	0	0	0	0	0	2
Short and simplified utterances	0	1	0	2	1	4
Omission of bound morphemes	0	1	1	1	0	3
Omission of function words	0	0	1	2	2	4
Paragrammatism	1	1	1	1	1	1
Pauses between utterances	1	2	0	2	1	1
Pauses within utterances	2	3	2	2	2	2
Halting and effortful	2	1	1	1	1	2
Reduced speech rate	2	3	1	2	2	2
Retracing	1	3	1	1	2	1
False starts	1	2	1	1	2	1
Conduite d'approche	1	0	1	0	1	0
Target unclear	1	1	0	0	0	1
Meaning unclear	1	1	0	1	1	3
Off-topic	0	0	0	0	0	1
Expressive aphasia	1	2	1	2	2	3
Apraxia of speech	2	1	1	1	1	2
Dysarthria	1	0	0	0	0	0
Overall communication impairment	2	2	1	2	2	3

0 = Not present; 1 = Mild; 2 = Moderate; 3 = Marked; 4 = Severe. See Casilio et al. (2019) for detailed definitions of connected speech features and scores.